



PRODUCT BROCHURE

HYDRAULIC TRAILERS

info@cilmachinery.com
www.agtrailer.com
facebook.com/Agtrailer

AGtrailer
Designed for NZ Conditions

Hydraulic Trailer Range

The Agritrailer Hydraulic Trailers range from 6-14 tonne plus capacity and are generally custom designed and built to suit the needs of the client.



6 TONNE



8 TONNE



10 TONNE



14 TONNE



Features



MODULAR DESIGN

The deck, sides and axle are all easily removed ensuring minimum down-time when servicing is required.



ANTI - CORROSIVE

Steel parts are power blasted, epoxy primed and coated with two-pack urethane for corrosion resistance. Chassis parts, side panels and tailgate can be hot-dipped galvanised.



REMOTE GREASING

Remote Axle Greasing is a standard feature for all trailer models allowing accessible grease sites ultimately saving you time and money on trailer maintenance.



ACCURATE SPREADS

The tailgate is hydraulically tripped for accurate starts when spreading gravel on tracks.



MANOEUVRABLE

All models are with an asymmetric, independently oscillating tandem walking-beam axle which improves handling, reduces tyre wear and offers optimal floating suspension.



TYRE UPGRADES

Ask our team what tyre options you have to choose from as we carry a wide range for various applications and usage.



CUSTOMISABLE SIDES

The trailer sides are made to be fully removable and are custom built to be drop-in or drop-down.




HEAVY-DUTY CHASSIS

The triangular chassis offers impressive strength-to-weight ratios and manages stress to resist fatigue and metal failure allowing your trailer to carry bigger loads with easy transportation.



EXTRA GALVANISING

The trailer sides are available as either painted or galvanised. Galvanised sides are an asset in high rainfall zones, protecting it from corrosive elements.



Wheel & Tyre Assembly

Tyre upgrades are available upon request. Ask us which option is best for your area and conditions of usage.



Hydraulic Latching Tailgate

This feature is standard for all trailer models allowing for more accurate starts when spreading gravel on tracks.



Multi-Stage Ram Options

The 6T trailers have a 4-stage ram and the 8T plus have a 5-stage ram allowing the trailer deck to tilt up to 57 degrees.

Specifications

MODEL	6 TONNE	8 TONNE	10 TONNE	12 TONNE	14 TONNE +
Deck (L x W)	3.6 M x 2.4 M	4.2 M x 2.5 M	4.2 M x 2.5 M	5.0 M x 2.5 M	5.0 M x 3.0 M
Side Height	0.4 M	0.5 M	0.6 M	0.6 M	0.6 M
Bin Capacity	3.5 M ³	5.3 M ³	6.3 M ³	7.5 M ³	9.0 M ³
Axle	Tandem	Tandem	Tandem	Tandem	Tandem
Tare	~1750 KG	~2700 KG	~2950 KG	~3500 KG	~3750 KG
Tyres	11.5 x 15.3	400/60 x 15.5	15/70 x 18	500/50 x 17	500/50 x 17
RAM Type	Four Stage	Five Stage	Five Stage	Five Stage	Five Stage
Deck Material	32mm H3 Pine	4mm Corten Steel	4mm Corten Steel	5mm Corten Steel	5mm Corten Steel
Hydraulic Latching Tailgate	Standard	Standard	Standard	Standard	Standard

Note: 16 tonne plus trailers are custom built and are available upon request.



AGTrailer.com

AGTrailer

§§

They are elegantly simple, efficient and strong enough to last a lifetime.

§§

Accessories



DECK EXTENSION

The Deck Extension adds 0.9m to 1.2m of length to any trailer deck. These extensions are usually for transporting hay, straw, baleage or farm equipment.



HYDRAULIC BRAKES

Hydraulic Brakes are recommended for larger trailers. They are available as two (front wheel) or as four wheel braked systems.

DRAWBAR SKID

Save time when hitching onto the trailer. Replace the standard jack stand with a Drawbar Skid.




SWIVEL TOW EYE

The Swivel Tow Eye is recommended for your trailer when towing on uneven terrain and is a safety feature to prevent trailer rollovers.



LED LIGHTS & HAZARDS

Be safe and seen while on the road. Add the LED Lights and Hazard Panels to your trailer if you are planning to tow on the road.



STEEL TRAY COVER

The Steel Tray Cover is a 3mm thick mild steel plate on top of the timber floor and is recommended for those who transport shingle and rocks as it lessens the impact.



Support Services

Agtrailer | Coombridge Industries Limited deals direct with the client and through selective suppliers across New Zealand. Our company strives to keep clients happy by offering affordable, creative and great quality options. We proudly stand behind our product range that is best



Order Parts

Looking to order new parts? Give us a ring at Coombridge Industries Ltd and we will look to have your parts dispatched within 24-48 hours.




Troubleshooting

Need help with solving a problem related to your trailer? Contact our Technical Support team at Coombridge Industries Ltd and we will be happy to assist you.



known for it's high level of quality and performance. We offer a range of services which include agricultural and maintenance engineering, eco-blasting, industrial painting and computer design services. Contact us today

at Agratrailer | Coombridge Industries Limited for a quote or for more information on our product range and services offered. Give us a call at **+64 3 688 5067** or email us at **info@cilmachinery.com** and we will be happy to help.



Book a Service

At Coombridge Industries Ltd we offer a variety of services including maintenance engineering, industrial painting and shot-blasting to assist with keeping your trailer looking like new.



Warranty

We offer a warranty on all machines supplied by Coombridge Industries Ltd for a period of 12 months from the purchase date against faulty workmanship and defective materials.



The image shows a close-up of a yellow trailer with a green base. The AGtrailer logo is prominently displayed on the side. The 'AG' is in large, bold, black letters with a white outline. The 'trailer' is in a green, rounded font with a white outline. A small white icon of a trailer is integrated into the 'A'. The '.com' is in a smaller, black font. The background shows a clear blue sky and some trees.

AGtrailer.com

AGtrailer

AGTRAILER |
COOMBRIDGE INDUSTRIES LTD
114 Coonor Road, Watlington
Timaru, New Zealand, 7910
+64 3 688 5067